

MURSATT CHEMICALS LIMITED 11 REGALCREST COURT WOODBRIDGE, ONTARIO, CANADA, L4L 8P3 (905)-850-8444

PRODUCT: SPA-DOWN CODE: MUR0011

SECTION 01: IDENTIFICATION

MUR0011 PRODUCT CODE..... PRODUCT IDENTIFIER..... SPA-DOWN OTHER MEANS OF IDENTIFICATION......
RECOMMENDED USE AND N.AV. **RESTRICTIONS ON USE**

SUPPLIER IDENTIFIER..... MURSATT CHEMICALS LIMITED 11 REGALCREST COURT

WOODBRIDGE, ONTARIO CANADA

L4L 8P3 EMERGENCY PHONE NO.....

CANUTEC (613)-996-6666.

SECTION 02: HAZARD IDENTIFICATION



HAZARD CLASSIFICATION..... EYE IRRITATION - CATEGORY 2A.

SIGNAL WORD..... WARNING

HAZARD STATEMENT..... H319 CAUSES SERIOUS EYE IRRITATION.

P264 WASH SKIN THOROUGHLY AFTER HANDLING. P280 WEAR PROTECTIVE PRECAUTIONARY STATEMENT.....

GLOVES/PROTECTIVE CLOTHING/EYE PROTECTION/FACE PROTECTION. P305+P351+P338 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE

RINSING. P337+P313 IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ATTENTION.

NONE.

OTHER HAZARDS.....

SECTION 03: COMPOSITION/INFORMATION ON INGREDIENTS					
HAZARDOUS INGREDIENTS	CAS#	WT. %			

CITRIC ACID 77-92-9 99-100

SECTION 04: FIRST AID MEASURES

DESCRIPTION OF FIRST AID MEASURES:

IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. EYE CONTACT.....

GET MEDICAL ATTENTION IMMEDIATELY.

REMOVE CONTAMINATED CLOTHING. FLUSH WITH LARGE AMOUNTS OF WATER, FOR AT LEAST 15 MINUTES. CONSULT A PHYSICIAN IF IRRITATION PERSISTS. SKIN CONTACT..... REMOVE VICTIM TO FRESH AIR. SEEK MEDICAL ATTENTION IF SYMPTOMS INHALATION.....

PERSIST.

GET MEDICAL ATTENTION IMMEDIATELY. DO NOT INDUCE VOMITING. IF INGESTION.....

CONSCIOUS, GIVE SEVERAL GLASSES OF WATER. NEVER GIVE ANYTHING BY

MOUTH TO AN UNCONSCIOUS PERSON.

MOST IMPORTANT SYMPTOMS AND SEE SECTION 11. EFFECTS, ACUTE OR DELAYED:

INDICATION OF ANY IMMEDIATE MEDICAL N.AV.

ATTENTION AND SPECIAL TREATMENT

NEEDED

SECTION 05: FIRE FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA...... UNSUITABLE EXTINGUISHING MEDIA...... SPECIAL HAZARDS ARISING FROM THE PRODUCT:

CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER.

NONE KNOWN.

DUST MAY BE SENSITIVE. HIGH DUST CONCENTRATION COULD FORM EXPLOSIVE MIXTURE WITH AIR.

NONE KNOWN.

HAZARDOUS COMBUSTION PRODUCTS.

PRODUCT: SPA-DOWN CODE: MUR0011

SECTION 05: FIRE FIGHTING MEASURES

SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS:

SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE CLOTHING

MUST BE WORN IN CASE OF FIRE.

SECTION 06: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS..... AVOID CONTACT WITH SKIN, EYES, OR CLOTHING. AVOID GENERATING DUSTY

CONDITIONS. PROVIDE VENTILATION. USE PERSONAL PROTECTION

RECOMMENDED IN SECTION 8.

ENVIRONMENTAL PRECAUTIONS..... DO NOT ALLOW TO ENTER DRAINS, SEWERS OR WATERCOURSES.

SWEEP UP OR SHOVEL INTO APPROPRIATE CONTAINERS. FLUSH RESIDUE WITH METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

WATER.

SECTION 07: HANDLING AND STORAGE

USE ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING. AVOID CONTACT WITH SKIN, EYES AND CLOTHING. WEAR SUITABLE PROTECTIVE PRECAUTIONS FOR SAFE HANDLING:.....

CLOTHING. AVOID GENERATING OR BREATHING DUST. DO NOT INGEST. STORE AWAY FROM ALL SOURCES OF IGNITION. STORE AWAY FROM

INCOMPATIBLE MATERIALS, KEEP CONTAINER CLOSED WHEN NOT IN USE. STORE IN A COOL, DRY AND WELL VENTILATED AREA. GROUNDING AND

BONDING PROCEDURES SHOULD BE OBSERVED DURING THE TRANSFER OF THIS

MATERIAL AND DURING THE STORAGE OF OPENED CONTAINERS. .

SECTION 08: EXPOSURE CONTROLS AND PERSONAL PROTECTION

	ACGIH TLV		OSHA PEL		NIOSH	
INGREDIENTS	TWA	STEL	PEL	STEL	REL	

CITRIC ACID N.AV. N.AV. N.AV. N.AV. N.AV.

APPROPRIATE ENGINEERING CONTROLS LOCAL EXHAUST AT POINTS OF EMISSION. INDIVIDUAL PROTECTION MEASURE

CONDITIONS FOR SAFE STORAGE,

INCLUDING ANY IMCOMPATIBILITÉS:

SUCH AS PERSONAL PROTECTIVE

EQUIPMENTS:

HAND PROTECTION..... CHEMICAL RESISTANT GLOVES. IT IS A GOOD INDUSTRIAL HYGIENE PRACTICE

TO MINIMIZE SKIN CONTACT.
WITH DUST/MIST PREFILTER NIOSH APPROVED CHEMICAL CARTRIDGE RESPIRATORY PROTECTION.....

RESPIRATOR.

CHEMICAL SAFETY GLASSES WITH SIDE SHIELDS OR CHEMICAL SAFETY EYE PROTECTION.....

GOGGLES

DECOMPOSITION TEMPERATURE...... N.AV. VISCOSITY.....

WEAR APPROPRIATE PROTECTIVE CLOTHING. PROTECTIVE CLOTHING..... PROTECTIVE FOOTWEAR.....

WEAR SUITABLE PROTECTIVE FOOTWEAR.

OTHER..... EYE WASH FACILITY AND EMERGENCY SAFETY SHOWER SHOULD BE IN CLOSE

PROXIMITY

USE GOOD PERSONAL HYGIENE PRACTICES. WASH HANDS BEFORE EATING, DRINKING, OR SMOKING, OR USING TOILET FACILITIES. PROMPTLY REMOVE HYGIENIC PRACTICES.....

CONTAMINATED CLOTHING AND WASH THOROUGHLY BEFORE REUSE.

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATECOLOR	SOLID. GRANULES OR POWDER. WHITE.
ODOUR	ODOURLESS.
ODOUR THRESHOLD	N.AV.
PH	2.2 (0.1 N).
MELTING POINT (C)	153 C (307 F).
BOILING POINT	N.AV.
FLASH POINT (C), METHOD	
EVAPORATION RATE	N.AP.
FLAMMABILITY (SOLIDS AND GASES)	N.AV.
UPPER FLAMMABLE LIMIT (% BY VOĹ.)	N.AV.
LOWER FLAMMABLE LIMIT (% BY VOL.)	N.AV.
VAPOUR PRESSURE (MMHG)	N.AP.
VAPOUR DENSITY (AIR=1)	N.AV.
RELATIVE DENSITY	1.665.
SOLUBILITY IN WATER (% W/W)	>50%.
COEFFICIENT OF WATER/OIL DIST	N.AV.
AUTO IGNITION TEMPERATURE	N.AV.

N.AP.

CODE: MUR0011 PRODUCT: SPA-DOWN

SECTION 10: STABILITY AND REACTIVITY

HAZARDOUS POLYMERISATION WILL NOT OCCUR.

CHEMICAL STABILITY:.... STABLE UNDER NORMAL CONDITIONS OF HANDLING AND STORAGE.

POSSIBILITY OF HAZARDOUS N.AV.

REACTIONS:

CONDITIONS TO AVOID..... MINIMIZE DUST GENERATION AND ACCUMULATION. CONTACT WITH

ICOMPATIBLES

ALUMINUM. CARBONATES. STRONG OXIDIZERS. ALUMINUM ALLOYS. ZINC AND ITS ALLOYS. METAL NITRATES. BICARBONATES. INCOMPATIBLE MATERIALS:....

HAZARDOUS PRODUCTS OF SEE HAZARDOUS COMBUSTION PRODUCTS.

DECOMPOSITION

SECTION 11: TOXICOLOGICAL INFORMATION

INGREDIENTS LC50 LD50

CITRIC ACID N.AV. 3000 MG/KG (ORAL, RAT); 5040 MG/KG (ORAL, MOUSE)

INFORMATION ON LIKELY ROUTES OF

ENTRY:

SKIN CONTACT...... PROLONGED AND REPEATED CONTACT MAY CAUSE MILD IRRITATION.

SKIN ABSORPTION...... N.AV.

EYE CONTACT.....

INHALATION.....

MAY CAUSE SEVERE IRRITATION.
MAY CAUSE IRRITATION TO THE RESPIRATORY TRACT.
MAY CAUSE IRRITATION OF THE GASTROINTESTINAL TRACT. INGESTION.....

EFFECTS OF ACUTE EXPOSURE..... SEE ABOVE

EFFECTS OF CHRONIC EXPOSURE...... PROLONGED CONTACT MAY CAUSE IRRITATION OF THE EYES AND SKIN

PROLONGED CONTACT MAY CAUSE SKIN AND EYE IRRITATION.

SIGNS AND SYMPTOMS OF

OVEREXPOSURE

CARCINOGENICITY OF MATERIAL....... IARC: NOT LISTED.

REPRODUCTIVE EFFECTS..... N.AV. SENSITIZING CAPABILITY OF MATERIAL N.AV. SYNERGISTIC MATERIALS...... N.AV.

SECTION 12: ECOLOGICAL CONSIDERATIONS

ECOTOXICITY...... N.AV. PERSISTENCE AND DEGRADATION....... N.AV. BIOACCUMULATIVE POTENTIAL..... N.AV. MOBILITY..... N.AV.

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS:...... DISPOSE IN ACCORDANCE WITH ALL APPLICABLE REGULATIONS.

SECTION 14: TRANSPORT INFORMATION

UN NUMBER... N.AP.

PROPER SHIPPING NAME..... N.AP.

TDG CLASSIFICATION..... NOT REGULATED.

PACKING GROUP..... N.AP.

ENVIRONMENTAL HAZARDS ACCORDING N.AV.

TO THE INTERNATIONAL MARITIME

DANGEROUS GOODS CODE AND THE

UNITED NATIONS MODEL REGULATIONS:

SPECIAL PRECAUTIONS IN CONNECTION N.AV.

WITH TRANSPORT OR CONVEYANCE

EITHER WITHIN OR OUTSIDE THE

PREMISES:

SECTION 15: REGULATORY INFORMATION

SAFETY, HEALTH AND ENVIRONMENTAL N.AV. REGULATIONS SPECIFIC TO THE

PRODUCT:

PRODUCT: SPA-DOWN CODE: MUR0011

SECTION 16: OTHER INFORMATION

N.AV.=NOT AVAILABLE N.AP.=NOT APPLICABLE OTHER INFORMATION.....

THE DATA IN THIS MSDS RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED HEREIN AND DOES NOT RELATE TO USE IN COMBINATION WITH ANY OTHER MATERIAL OR IN ANY PROCESS. THIS DATA IS OFFERED IN GOOD FAITH AS TYPICAL VALUES AND NOT AS PRODUCT SPECIFICATIONS. NO WARRANTY, EITHER EXPRESSED OR IMPLIED, IS HEREBY MADE. THE RECOMMENDED INDUSTRIAL HYGIENE AND SAFE HANDLING PROCEDURES ARE BELIEVED TO BE GENERALLY APPLICABLE. HOWEVER, EACH USER SHOULD REVIEW THESE RECOMMENDATIONS IN THE SPECIFIC CONTEXT OF THE INTENDED USE AND DETERMINE WHETHER THET ARE APPROPRIATE.

REGULATORY AFFAIRS

PREPARED BY.....PREPARATION DATE..... APR 19/2017